

BRS Business Retail Solutions










E-mail: office.businessrs@gmail.com










Tel: 0764082204


Price List










Product Name	Item No.	Photo	Specification		IP 44	IP 65
			Description	Size	Currency: USD	Currency: USD
					Unit price	Unit price
Christmas 3D Bear	HYC-ML-01		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.117	\$ 1.303
Christmas 3D Bear	HYC-ML-02		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.912	\$ 2.230
Christmas 3D Bear	HYC-ML-03		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 1.912	\$ 2.230
3D Santa Claus	HYC-ML-04		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2.5M	\$ 2.500	\$ 2.916
3D Santa Claus	HYC-ML-05		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 1.912	\$ 2.230
Arch 3D Present	HYC-ML-06		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3.6M	\$ 2.206	\$ 2.573
Arch 3D Present	HYC-ML-07		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 2.206	\$ 2.573










Arch 3D Present	HYC-ML-08		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 2.882	\$ 3.363
Arch 3D Present	HYC-ML-09		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 1.912	\$ 2.230
3D Gift Box	HYC-ML-10		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M	\$ 1.617	\$ 1.887
3DPresentArch	HYC-ML-11		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 2.206	\$ 2.573
3D Gift Box	HYC-ML-12		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.617	\$ 1.887
3D Gift Box	HYC-ML-13		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 0.6M	\$ 77	\$ 90
3D Gift Box	HYC-ML-14		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.2M H:1M H:0.8M	\$ 1.029	\$ 1.200
3D Gift Box	HYC-ML-15		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:1M	\$ 323	\$ 373
3D Gift Box	HYC-ML-16		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:0.8M	\$ 250	\$ 291

3D Large Reindeer Instock	HYC-ML-17		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M	\$ 602	\$ 645
				H: 3M	\$ 1.235	\$ 1.440
3D Large Reindeer	HYC-ML-18		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 1.235	\$ 1.440
3D Large Reindeer	HYC-ML-19		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M	\$ 1.059	\$ 1.235
3D Large Reindeer	HYC-ML-20		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M H:1.8M	\$ 1.147	\$ 1.339
3D Large Reindeer	HYC-ML-21		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M L: 4M	\$ 2.660	\$ 3.130
Giant walk through Arch	HYC-ML-22		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M W: 5.6M	\$ 2.940	\$ 3.500
Giant walk through Arch	HYC-ML-23		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 3.235	\$ 3.775
Giant walk through Christmas Ball Instock	HYC-ML-24		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4.5M	\$ 2.030	\$ 2.184
Giant walk through Christmas Ball Instock	HYC-ML-25		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3.5M	\$ 2.657	\$ 2.780

Giant walk through Christmas Ball	HYC-ML-26		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 2.206	\$ 2.573
Giant walk through Christmas Ball	HYC-ML-27		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 1.912	\$ 2.230
Giant walk through Christmas Ball	HYC-ML-28		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 2.206	\$ 2.573
Giant walk through Christmas Ball	HYC-ML-29		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 2.295	\$ 2.667
Giant walk through Christmas Ball	HYC-ML-30		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3.5M	\$ 2.387	\$ 3.020
Giant 3D Ball Instock	HYC-ML-31		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	1 x H: 4.5M 6x H:2M	\$ 4.705	\$ 5.491
3D Ball Instock	HYC-ML-32		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 0.8M H: 1.2M H:1.5M	\$ 1.323	\$ 1.544
3D Ball Instock	HYC-ML-33		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.105	\$ 1.344
3D Ball Instock	HYC-ML-34		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.105	\$ 1.344

3D Large Fountain	HYC-ML-35		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Dynamic brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 1.912	\$ 2.230
3D Large Fountain	HYC-ML-36		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Dynamic brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 1.912	\$ 2.230
3D Fountain	HYC-ML-37		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.411	\$ 1.646
3D Fountain	HYC-ML-38		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 1.705	\$ 1.990
2D Arch Instock	HYC-ML-39		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 364	\$ 516
3D Arch	HYC-ML-40		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 5M	\$ 1.705	\$ 1.990
3D Candy Cane	HYC-ML-41		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.617	\$ 1.887
3D Candy Cane	HYC-ML-42		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.617	\$ 1.887
3D Candy Cane	HYC-ML-43		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M H: 1.5M	\$ 617	\$ 721








3D Candy Cane	HYC-ML-44		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M H:2M	\$ 1.323	\$ 1.544
3D Candy Cane	HYC-ML-45		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2.5M H:1.5M	\$ 617	\$ 721
2D photo frame	HYC-ML-46		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3.5M	\$ 1.323	\$ 1.544
2D photo frame	HYC-ML-47		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 705	\$ 823
2D photo frame	HYC-ML-48		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	1:1.5M 1 H: 1.2M 2 H:1M	\$ 794	\$ 927
3D Hanging Bell	HYC-ML-49		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.8M	\$ 1.058	\$ 1.235
Giant 3D Bell	HYC-ML-50		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.912	\$ 2.203
Giant 3D Bell	HYC-ML-51		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.912	\$ 2.203
3D Star Instock	HYC-ML-52		<ul style="list-style-type: none"> * Material: : LED PVC String lights, ABS Net, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1M H: 0.5M	\$ 277	\$ 392

3D Star	HYC-ML-53		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 823	\$ 960
3D Star	HYC-ML-54		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M	\$ 647	\$ 1.175
3D Angel Instock	HYC-ML-55		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2.5M	\$ 729	\$ 1.190
3D Angel	HYC-ML-56		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M H: 1.2M	\$ 1.235	\$ 1.440
3D Angel	HYC-ML-57		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:1.5M	\$ 765	\$ 892
2D Snowman Instock	HYC-ML-58		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.2M	\$ 119	\$ 180
3D Snowman	HYC-ML-59		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 1.117	\$ 1.303
Giant walk through snowman	HYC-ML-60		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 2.500	\$ 2.916
Giant 3D Snowman	HYC-ML-61		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 5M	\$ 3.235	\$ 3.775

3D House	HYC-ML-62		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 5.000	\$ 5.834
3D House	HYC-ML-63		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 5.000	\$ 5.834
3D House	HYC-ML-64		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 5.000	\$ 5.834
3D House	HYC-ML-65		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 5.000	\$ 5.834
2D Sign	HYC-ML-66		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.2M	\$ 192	\$ 222
2D Sign	HYC-ML-67		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:1M	\$ 171	\$ 199
2D Character	HYC-ML-68		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M	\$ 1.617	\$ 1.887
2D Character	HYC-ML-69		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 1.912	\$ 2.230
2D Character	HYC-ML-70		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M	\$ 2.800	\$ 3.260

2D Snowflake	HYC-ML-71		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	Dia: 1M	\$ 84	\$ 98
3D Snowflake	HYC-ML-72		<ul style="list-style-type: none"> * Material: : LED PVC String lights, ABS Net, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M	\$ 676	\$ 790
3D Snowflake	HYC-ML-73		<ul style="list-style-type: none"> * Material: : LED PVC String lights, ABS Net, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M H: 1.2M H: 1M	\$ 1.617	\$ 1.887
Giant 3D Train	HYC-ML-74		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M L: 10M	\$ 10.295	\$ 12.010
Giant 3D Train	HYC-ML-75		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M L: 10M	\$ 10.295	\$ 12.010
3D Tank	HYC-ML-76		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 13.530	\$ 15.785
Giant 3D Bus	HYC-ML-77		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 5.000	\$ 5.834
Giant 3D Bus	HYC-ML-78		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 5.000	\$ 5.834
3D Airplane	HYC-ML-79		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 3.235	\$ 3.774

3D Sailboat	HYC-ML-80		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 2.295	\$ 2.677
3D Arch Heart	HYC-ML-81		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 3M W:4M L:5M	\$ 398	\$ 463
3D Arch Heart	HYC-ML-82		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M	\$ 1.617	\$ 1.887
3D Arch Heart Gift Box	HYC-ML-83		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3.5M	\$ 2.118	\$ 2.471
3D Candle	HYC-ML-84		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M	\$ 382	\$ 446

2D Pole	HYC-ML-85		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:1.5M	\$ 83	\$ 97
3D Pole	HYC-ML-86		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 794	\$ 927
2D Pole	HYC-ML-87		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.8M	\$ 112	\$ 130
2D Pole	HYC-ML-88		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.8M	\$ 171	\$ 199
2D Pole	HYC-ML-89		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 153	\$ 178
2D Pole	HYC-ML-90		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.8M	\$ 153	\$ 178
2D Pole	HYC-ML-91		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.8M	\$ 165	\$ 192

Giant Arch Instock	HYC-ML-92		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M W:2M	\$ 210	\$ 246
Giant Arch	HYC-ML-93		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 706	\$ 823
Giant Arch	HYC-ML-94		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:5M	\$ 1.323	\$ 1.544
Giant Arch Star Instock	HYC-ML-95		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage: 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:3M	\$ 490	\$ 574
Giant Arch	HYC-ML-96		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:4M	\$ 486	\$ 566
Giant Arch Heart	HYC-ML-97		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 4M	\$ 486	\$ 566
3D Arch	HYC-ML-98		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 5M	\$ 1.912	\$ 2.230
3D Small Ball	HYC-ML-99		<ul style="list-style-type: none"> * Material: : LED PVC String lights, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	Dia : 80CM	\$ 57	\$ 67
				Dia :60CM	\$ 39	\$ 46
				Dia :40CM	\$ 25	\$ 30
2D Across Motif	HYC-ML-100		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	W:4M	\$ 118	\$ 137

2D Across Motif	HYC-ML-101		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	W:4M	\$ 192	\$ 223
3D Flower	HYC-ML-102		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	Dia : 1.5M	\$ 280	\$ 326
2D Flower	HYC-ML-103		<ul style="list-style-type: none"> * Material: : LED PVC String lights, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 2M	\$ 323	\$ 378
3D Guitar	HYC-ML-104		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H: 1.5M	\$ 470	\$ 550
3D Piano	HYC-ML-105		<ul style="list-style-type: none"> * Material: : LED PVC String lights, PVC Tinsel, LED rope light, iron frame * Voltage:110V/ 220V * LED Effect: Steady brightness * CE,ROHS Approved * Demountable * With 1.5M power cord * Aging test, heatproof and cold resistant * Usage: Outdoor or Indoor 	H:2M	\$ 1.617	\$ 1.887

Remark:

- 1.Red remark are instock products .
- 2.Payment Terms : Normal is 50% advance payment by TT , 50% before shipment. Special circumstances can be negotiated
3. The above price based on EXW price , Without tax and not included installtion cost ; FOB ,CIF ,DDU and DDP are available with special discussion.
4. IP44 and IP 65 both can used for indoor& outdoor ,IP44 is an option for mild weather, low rainfall or indoor use.
5. If it needs to be installed on site, we can install it all over the country at extra cost.
6. The price is valid for 3 months.
- 7.Delivery time : 20-25 working days after receiving the deposit.
- 8.We also support custom styles, colors, voltages according to your request.
- 9.The width and length are proportional to the height.