












# BRS Business Retail Solutions

Tel: 0764082204







Email: office.businessrs@gmail.com

Item No.	Picture	Specification			EXW Price
		Description	Products Size	Unit	Currency:
					Unit price
1		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and glitter fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	PC	\$ 375
2		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and glitter fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 375
3		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and glitter fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.5M W:3.5M	set	\$ 1.988
4		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2m	set	\$ 2.270
5		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2m	set	\$ 1.135







6		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and glitter fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1m	pc	\$ 240
7		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2m	set	\$ 2.159
8		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 240
9		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 533
10		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 834
11		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.134







12		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 7.000
13		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.8M	set	\$ 2.560
14		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	W:5M H:6M	set	\$ 4.400
15		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:3M	set	\$ 7.600
16		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:3M	pc	\$ 1.160
17		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> <li>* Tree size 4M 2M 1M</li> </ul>	highest tree H:4M	set	\$ 9.000







18		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:3M	set	\$ 6.400
19		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1M	pc	\$ 960
20		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 3.600
21		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.2M	pc	\$ 440
22		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 440
23		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.5M ( MOQ 20pc)	pc	\$ 92







24		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:2M H:1.5M ladybug:0.7M flower Diameter: 1M</p>	set	\$ 2.600
25		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:2M H:1.5M H:0.9M</p>	set	\$ 1.760
26		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:2.4m</p>	set	\$ 900
27		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:1.2M /1M</p>	set	\$ 220
28		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:2M</p>	set	\$ 13.600
29		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	<p>H:2.8M</p>	set	\$ 5.600







30		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:4M H:1.2M	pc	\$ 980
31		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.4M	pc	\$ 980
32		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.4M	pc	\$ 1.180
33		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:5M	pc	\$ 1.920
34		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.2M	pc	\$ 1.100
35		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:5M	pc	\$ 1.920







36		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 360
37		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 640
38		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> <li>* only shark</li> </ul>	L:5M	pc	\$ 1.780
39		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:2M	pc	\$ 980
40		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L7x W3x H3M	set	\$ 5.720
41		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:3M	set	\$ 18.400


42		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:4.8M	pc	\$ 2.400
43		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L1.7x W2.8x H2M	pc	\$ 1.600
44		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:10M H:2.5M	pc	\$ 7.600
45		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:8.8M H:3.5M	pc	\$ 7.600
46		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.200
47		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.200

48		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.200
49		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.200
50		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 3340
51		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.5M	pc	\$ 1.600
52		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:3M	pc	\$ 2.000
53		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.5M	pc	\$ 1.800

54		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 4.680
55		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 3.000
56		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.2M	pc	\$ 440
57		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2.33M L:1.72M W:0.83M	pc	\$ 1.000
58		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.2M H: 2M	set	\$ 1.800
59		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	set	\$ 2.000

60		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 2.400
61		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1.2M	set	\$ 7.200
62		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:1M	pc	\$ 1.058
63		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:2M	pc	\$ 1.760
64		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:5M	set	\$ 15.000
65		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	Horse: 3M carriage: 2.1M	set	\$ 7.000

66		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H: 6.5M W: 8M	set	\$ 20.000
67		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	H:8M L:30M	set	\$ 20.000
68		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:15M W:5M H:5M	set	\$ 1.800
69		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:6.4M W:0.7M H:4.8M	set	\$ 1.980
70		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	small lantern 0.6x0.3M	pc	\$ 11
			big lantern 1.2*1M		\$ 240
			Top flower plate 2.8M diameter		\$ 360
			Top flower plate 1.2M diameter		\$ 196
			support frame	square meter	\$ 80
71		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:1.2M	pc	\$ 155
			L:1.5M		\$ 300

72		<ul style="list-style-type: none"> <li>* Material: Iron frame with IP65 LED bulb lights and silk fabric</li> <li>* Voltage: 110V /220V</li> <li>* LED Effect: Steady brightness</li> <li>* IP rate: IP65 waterproof</li> <li>* CE,ROHS Approved</li> <li>* Demountable</li> <li>* With 1.5M power cord</li> <li>* Aging test, heatproof and cold resistant</li> </ul>	L:1.1M	pc	\$ 196
			L:1.4M		\$ 240